

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"324".cccls. and proximity	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 09:05
L2	637	324/202	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 09:05
L3	161	2 and proximity	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 09:05
L4	19	3 and installation	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 09:09
L5	750	324/207.26	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 09:09
L6	204	5 and (proximity with sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 09:09
L7	38	6 and installation	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 09:09
L8	12	7 and positioning	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 09:10
L9	1026	324/207.12	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 09:14
L10	26	9 and (proximity with sensor) and installation	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 09:15
L11	8	10 and positioning	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 09:46
L12	1	(proximity adj2 sensor) with (remote and control and calibration)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 09:56

L13	63	(proximity adj2 sensor) with (remote and control)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 09:56
L14	24	13 and transmitting	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:01
L15	188	sensor with remote with calibration	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:01
L16	0	15 and installation and maintenance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:02
L17	18	15 and installation and maintenance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:16
L18	6	15 and installation and setup	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:21
L19	1	sensor with target with installation with remote	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:22
L20	99	sensor with target with installation	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:22
L21	18	20 and remote	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:22
L22	17	("4827248").URPN.	USPAT	OR	OFF	2005/09/09 10:26
L23	671	340/686.1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:26
L24	169	23 and proximity	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:26
L25	53	24 and installation	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:27

L26	1089892	"35" and position	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:27
L27	52	25 and position\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:27
L28	7	27 and (mobile portable) and display	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:29
L29	130	340/686.2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:29
L30	9	29 and (proximity adj2 sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:31
L31	253	340/686.6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:31
L32	9	31 and remote and calibration	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:32
L33	62	31 and remote and position	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:35
L34	20	33 and (pda mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:32
L35	41	31 and remote and processing	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:38
L36	638	340/687	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:38
L37	0	36 and (installing and monitoring) with (proximity adj2 sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:39

L38	4	(installing and monitoring) with (proximity adj2 sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/09 10:39
S1	76	340/539.23	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/08 13:50
S2	19	S1 and (installing installation)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/08 13:50
S3	15	S2 and (gap distance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/08 13:59
S4	2	S3 and target	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/08 13:51
S5	104	(proximity adj2 sensor) with (installing installation)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/08 14:00
S6	5	S5 and ((mobile remote) adj2 (device unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/08 14:04
S7	19	("6670807" "6644849" "6641533" "6633158" "6628962" "6507189" "6456275" "6396477" "6043774"). pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/08 14:14
S8	21	340/156	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/08 14:14
S9	7145	345/156	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/08 14:14
S10	91	S9 and (proximity adj2 sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/08 14:14
S11	10	S10 and (installing installation)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/08 14:22

S12	62	S5 and position\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/08 14:23
S13	9	S12 and gap	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/08 14:27
S14	1	S12 and (remote with (mobile pda portable))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/09/08 14:28